


车规



公差范围

J=±5%	K=±10%
L=±15%	M=±20%
P=±25%	N=±30%



包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷


Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0402C-R10M-RA	0.10	4.50	299.00	12.00	12.00
MS0402C-R22M-RA	0.22	7.00	158.00	9.00	9.00
MS0402C-R47M-RA	0.47	16.00	97.00	7.00	7.00
MS0402C-1R0M-RA	1.00	27.00	64.00	5.00	4.50
MS0402C-2R2M-RA	2.20	68.00	40.00	3.25	3.25
MS0402C-3R3M-RA	3.30	94.30	35.00	2.20	2.70
MS0402C-4R7M-RA	4.70	105.00	29.00	1.75	1.70

车规



公差范围

J=±5%	K=±10%
L=±15%	M=±20%
P=±25%	N=±30%




包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0502C-R10M-RA	0.10	2.90	266.00	25.00	21.00
MS0502C-R22M-RA	0.22	4.50	146.00	13.00	17.00
MS0502C-R33M-RA	0.33	5.90	108.00	7.50	13.00
MS0502C-R47M-RA	0.47	7.70	83.00	8.00	12.50
MS0502C-1R0M-RA	1.00	18.10	66.00	7.00	7.50
MS0502C-2R2M-RA	2.20	37.70	41.00	5.50	5.00
MS0502C-3R3M-RA	3.30	57.80	29.00	4.70	4.10
MS0502C-4R7M-RA	4.70	81.30	27.00	3.00	3.20
MS0502C-5R6M-RA	5.60	92.00	24.00	2.20	3.00
MS0502C-6R8M-RA	6.80	121.00	21.00	2.10	2.80

车规




包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷


Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0503C-R10M-RA	0.10	2.90	333.00	25.00	21.00
MS0503C-R22M-RA	0.22	3.90	170.00	14.50	21.00
MS0503C-R33M-RA	0.33	5.00	125.00	9.00	16.50
MS0503C-R47M-RA	0.47	6.00	88.00	9.00	14.00
MS0503C-1R0M-RA	1.00	11.00	50.00	6.50	10.00
MS0503C-1R5M-RA	1.50	18.50	40.00	7.00	7.50
MS0503C-2R2M-RA	2.20	25.00	37.00	5.50	6.75
MS0503C-3R3M-RA	3.30	40.40	29.00	7.00	5.50
MS0503C-4R7M-RA	4.70	60.00	22.00	5.20	4.50
MS0503C-5R6M-RA	5.60	70.60	20.00	3.50	4.25
MS0503C-100M-RA	10.00	131.90	17.00	2.25	2.75

车规



公差范围

J=±5%	K=±10%
L=±15%	M=±20%
P=±25%	N=±30%




包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0603C-1R0M-RA	1.00	8.00	-	9.50	12.50
MS0603C-2R2M-RA	2.20	16.50	-	7.00	9.00
MS0603C-3R3M-RA	3.30	26.00	-	6.50	7.00
MS0603C-4R7M-RA	4.70	33.40	-	4.00	6.00
MS0603C-6R8M-RA	6.80	46.80	-	4.00	5.50
MS0603C-8R2M-RA	8.20	54.90	-	4.00	5.00
MS0603C-100M-RA	10.00	71.20	-	3.50	4.00
MS0603C-220M-RA	22.00	135.00	-	2.50	2.90

车规





包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS1004C-R19M-RA	0.19	0.80	-	46.00	40.00
MS1004C-R24M-RA	0.24	0.95	-	44.00	33.00
MS1004C-R36M-RA	0.36	1.15	-	30.00	32.00
MS1004C-R47M-RA	0.47	1.68	-	30.00	30.00
MS1004C-R56M-RA	0.56	1.80	-	22.00	32.00
MS1004C-R78M-RA	0.78	2.10	-	22.00	27.00
MS1004C-1R0M-RA	1.00	2.50	-	20.00	25.00
MS1004C-1R8M-RA	1.80	5.00	-	16.00	17.00
MS1004C-2R0M-RA	2.00	5.80	-	14.00	16.00
MS1004C-4R7M-RA	4.70	14.20	-	7.60	9.50
MS1004C-6R8M-RA	6.80	19.30	-	7.50	9.00
MS1004C-100M-RA	10.00	30.50	-	7.10	7.50
MS1004C-150M-RA	15.00	45.00	-	6.00	6.25
MS1004C-220M-RA	22.00	66.00	-	4.50	5.00
MS1004C-330M-RA	33.00	94.50	-	4.00	4.40
MS1004C-470M-RA	47.00	145.00	-	3.00	3.30

车规




包装

Type	Quantity (per reel)
MS0402C	3000个/卷
MS0502C	3000个/卷
MS0503C	2500个/卷
MS0603C	1000个/卷
MS1004C	500个/卷
MS1707C	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS1707C-R33M-RA	0.33	0.73	78.00	55.00	75.50
MS1707C-R47M-RA	0.47	0.87	60.00	57.00	72.00
MS1707C-R56M-RA	0.56	0.91	40.00	66.00	61.00
MS1707C-R82M-RA	0.82	1.08	36.00	45.00	56.50
MS1707C-1R0M-RA	1.00	1.27	34.00	32.00	55.50
MS1707C-1R5M-RA	1.50	1.62	26.00	31.00	48.00
MS1707C-2R2M-RA	2.20	1.98	19.00	28.00	43.50
MS1707C-3R3M-RA	3.30	2.93	16.00	27.00	35.00
MS1707C-4R7M-RA	4.70	4.18	10.70	21.00	30.00
MS1707C-5R6M-RA	5.60	4.44	11.80	21.00	28.00
MS1707C-6R8M-RA	6.80	6.15	10.00	18.50	22.50
MS1707C-8R2M-RA	8.20	8.10	10.00	18.00	21.00
MS1707C-100M-RA	10.00	9.33	8.00	17.00	19.00
MS1707C-150M-RA	15.00	14.40	7.50	12.00	14.00
MS1707C-220M-RA	22.00	21.00	4.30	9.50	12.00
MS1707C-330M-RA	33.00	37.00	4.80	9.00	10.70
MS1707C-470M-RA	47.00	42.70	4.10	8.60	8.70
MS1707C-560M-RA	56.00	57.80	2.90	4.20	7.20
MS1707C-680M-RA	68.00	75.70	3.00	4.50	6.10
MS1707C-820M-RA	82.00	91.70	2.60	4.50	5.50
MS1707C-101M-RA	100.00	110.00	2.10	4.00	5.00

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0402CHP-R10M-RA	0.10	5.00	327.00	35.00	11.00
MS0402CHP-R22M-RA	0.22	8.60	151.00	24.00	13.00
MS0402CHP-R47M-RA	0.47	18.00	97.00	11.50	5.60
MS0402CHP-1R0M-RA	1.00	37.00	90.00	8.50	3.75
MS0402CHP-1R5M-RA	1.50	46.30	90.00	6.10	5.10
MS0402CHP-2R2M-RA	2.20	90.00	39.00	6.00	2.85

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0502CHP-R10M-RA	0.10	3.90	239.00	45.00	17.00
MS0502CHP-R22M-RA	0.22	5.20	145.00	22.00	15.00
MS0502CHP-R33M-RA	0.33	8.20	125.00	25.00	12.00
MS0502CHP-R47M-RA	0.47	9.40	98.00	21.00	11.50
MS0502CHP-R68M-RA	0.68	12.40	77.00	15.00	10.00
MS0502CHP-1R0M-RA	1.00	20.00	62.00	16.00	7.00
MS0502CHP-2R2M-RA	2.20	50.10	39.00	12.50	4.20
MS0502CHP-3R3M-RA	3.30	85.50	30.00	8.50	3.30
MS0502CHP-4R7M-RA	4.70	116.60	28.00	5.00	2.80
MS0502CHP-5R6M-RA	5.60	122.00	24.00	4.50	2.50
MS0502CHP-6R8M-RA	6.80	150.00	21.00	4.30	2.40

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0503CHP-R10M-RA	0.10	3.16	255.00	27.00	23.00
MS0503CHP-R22M-RA	0.22	4.52	160.00	21.00	15.50
MS0503CHP-R33M-RA	0.33	5.56	128.00	19.00	13.70
MS0503CHP-R47M-RA	0.47	7.04	84.00	16.00	12.20
MS0503CHP-R68M-RA	0.68	8.96	80.00	13.50	10.20
MS0503CHP-R82M-RA	0.82	11.90	73.00	13.00	9.30
MS0503CHP-1R0M-RA	1.00	13.70	59.00	12.00	9.20
MS0503CHP-1R5M-RA	1.50	20.70	42.00	11.00	7.20
MS0503CHP-2R2M-RA	2.20	29.20	39.00	10.00	5.80
MS0503CHP-3R3M-RA	3.30	54.70	31.00	8.50	5.00
MS0503CHP-4R7M-RA	4.70	77.50	25.00	8.20	3.50
MS0503CHP-5R6M-RA	5.60	108.00	24.00	4.10	3.00
MS0503CHP-100M-RA	10.00	164.00	16.00	4.00	2.50

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0624CHP-R10M-RA	0.10	1.70	-	50.00	30.00
MS0624CHP-R22M-RA	0.22	3.20	-	34.00	21.00
MS0624CHP-R33M-RA	0.33	4.10	-	22.00	18.00
MS0624CHP-R47M-RA	0.47	6.50	-	21.00	13.50
MS0624CHP-R68M-RA	0.68	9.40	-	18.00	11.00
MS0624CHP-R82M-RA	0.82	11.80	-	17.00	10.00
MS0624CHP-1R0M-RA	1.00	14.20	-	16.00	9.00
MS0624CHP-1R5M-RA	1.50	21.20	-	15.00	7.50
MS0624CHP-2R2M-RA	2.20	34.00	-	14.00	6.50
MS0624CHP-3R3M-RA	3.30	51.60	-	13.00	5.00
MS0624CHP-4R7M-RA	4.70	63.00	-	10.00	4.50
MS0624CHP-6R8M-RA	6.80	95.00	-	9.00	3.50
MS0624CHP-8R2M-RA	8.20	106.00	-	8.00	3.00
MS0624CHP-100M-RA	10.00	129.00	-	7.00	2.50

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS0603CHP-R10M-RA	0.10	1.70	-	60.00	32.50
MS0603CHP-R15M-RA	0.15	2.50	-	52.00	26.00
MS0603CHP-R20M-RA	0.20	3.00	-	41.00	24.00
MS0603CHP-R22M-RA	0.22	2.80	-	40.00	23.00
MS0603CHP-R33M-RA	0.33	3.90	-	30.00	20.00
MS0603CHP-R47M-RA	0.47	4.20	-	26.00	17.50
MS0603CHP-R68M-RA	0.68	5.50	-	25.00	15.50
MS0603CHP-R82M-RA	0.82	8.00	-	24.00	13.00
MS0603CHP-1R0M-RA	1.00	10.00	-	22.00	11.00
MS0603CHP-1R5M-RA	1.50	15.00	-	18.00	9.00
MS0603CHP-2R2M-RA	2.20	20.00	-	14.00	8.00
MS0603CHP-3R3M-RA	3.30	30.00	-	13.50	6.00
MS0603CHP-4R7M-RA	4.70	40.00	-	10.00	5.50
MS0603CHP-6R8M-RA	6.80	60.00	-	8.00	4.50
MS0603CHP-8R2M-RA	8.20	68.00	-	7.50	4.00
MS0603CHP-100M-RA	10.00	105.00	-	7.00	3.00

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS1004CHP-R19M-RA	0.19	0.95	-	90.00	40.00
MS1004CHP-R36M-RA	0.36	1.40	-	60.00	31.50
MS1004CHP-R56M-RA	0.56	1.80	-	49.00	27.50
MS1004CHP-1R0M-RA	1.00	4.10	-	36.00	17.50
MS1004CHP-1R5M-RA	1.50	5.80	-	27.50	15.00
MS1004CHP-2R2M-RA	2.20	9.00	-	25.60	12.00
MS1004CHP-3R3M-RA	3.30	14.40	-	18.60	10.00
MS1004CHP-4R7M-RA	4.70	16.50	-	17.00	9.50
MS1004CHP-5R6M-RA	5.60	19.30	-	16.00	8.50
MS1004CHP-6R8M-RA	6.80	23.30	-	13.50	8.00
MS1004CHP-100M-RA	10.00	36.50	-	12.00	6.80

车规




包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS1305CHP-R10M-RA	0.10	0.60	-	118.00	55.00
MS1305CHP-R22M-RA	0.22	0.80	-	110.00	51.00
MS1305CHP-R33M-RA	0.33	1.10	-	80.00	42.00
MS1305CHP-R47M-RA	0.47	1.30	-	65.00	38.00
MS1305CHP-R56M-RA	0.56	1.50	-	55.00	36.00
MS1305CHP-R68M-RA	0.68	1.70	-	54.00	34.00
MS1305CHP-R82M-RA	0.82	2.30	-	53.00	31.00
MS1305CHP-1R0M-RA	1.00	2.50	-	50.00	29.00
MS1305CHP-1R5M-RA	1.50	4.10	-	48.00	23.00
MS1305CHP-1R8M-RA	1.80	4.90	-	40.00	19.00
MS1305CHP-2R2M-RA	2.20	5.50	-	32.00	17.00
MS1305CHP-3R3M-RA	3.30	9.20	-	32.00	15.00
MS1305CHP-4R7M-RA	4.70	15.00	-	27.00	12.00
MS1305CHP-5R6M-RA	5.60	16.50	-	22.00	11.50
MS1305CHP-6R8M-RA	6.80	18.50	-	21.00	11.00
MS1305CHP-7R8M-RA	7.80	20.50	-	18.00	10.00
MS1305CHP-8R2M-RA	8.20	22.50	-	18.00	9.50
MS1305CHP-100M-RA	10.00	25.50	-	16.00	9.00

车规



包装

Type	Quantity (per reel)
MS0402CHP	3000个/卷
MS0502CHP	3000个/卷
MS0503CHP	2500个/卷
MS0624CHP	1000个/卷
MS0603CHP	1000个/卷
MS1004CHP	500个/卷
MS1305CHP	400个/卷
MS1707CHP	200个/卷

Part Number (100KHz/1.0V)	Inductance L0 (uH)	DCR (mΩ) Max.	SRF (MHz) Typ.	I _{sat} (A) Max.	I _{rms} (A) Max.
MS1707CHP-R22M-RA	0.22	0.75	-	129.00	80.00
MS1707CHP-R33M-RA	0.33	0.82	-	126.00	65.00
MS1707CHP-R47M-RA	0.47	0.98	-	123.00	62.00
MS1707CHP-R56M-RA	0.56	1.05	-	88.00	56.00
MS1707CHP-R82M-RA	0.82	1.29	-	73.00	50.00
MS1707CHP-1R0M-RA	1.00	1.38	-	73.00	48.00
MS1707CHP-1R5M-RA	1.50	1.88	-	65.00	42.00
MS1707CHP-1R8M-RA	1.80	2.10	-	65.00	38.00
MS1707CHP-2R2M-RA	2.20	2.53	-	62.00	35.00
MS1707CHP-3R3M-RA	3.30	3.88	-	54.00	28.00
MS1707CHP-4R7M-RA	4.70	5.11	-	41.00	25.00
MS1707CHP-5R6M-RA	5.60	7.05	-	40.00	21.00
MS1707CHP-6R8M-RA	6.80	8.83	-	32.00	19.00
MS1707CHP-8R2M-RA	8.20	10.66	-	25.00	18.00
MS1707CHP-100M-RA	10.00	12.00	-	25.00	16.50
MS1707CHP-150M-RA	15.00	19.90	-	25.00	12.50
MS1707CHP-220M-RA	22.00	26.50	-	23.00	11.00